

**DECLARATION OF COMPLIANCE**

Description	Material	Article Number
Glass	PLA	194653

Duni declares that the article meets the requirements of:

- Article 3, 11(5), 15 and 17 of Regulation (EC) No 1935/2004 (Framework regulation)
- EU Regulation 2023/2006/EC (GMP)
- EU Regulation 10/2011/EC with amendments (Plastic regulation)

**Overall migration (1)**

According to the above mentioned regulations, the overall migration does not exceed 10 mg/dm<sup>2</sup> or 60 mg/kg.

**Specific migration (2)**

The product does not contain any monomers or additives with restrictions to regulation 10/2011/EC.

**Area of use**

The products are intended for cold beverages. Maximum recommended temperature for PLA is 40°C. However, deformation and softening of the plastic glass may be observed already at 30°C due to low material thickness.

They are not suitable to be used in a microwave oven.

**Test conditions**

Migration tests on the material of the article performed by an independent institute showed that under the following test conditions overall migration (see 1.) and specific migration (see 2.) fall below the respective limits given by regulation 10/2011.

<i>Overall migration</i>	<i>3% Acetic acid</i>	<i>10 days 40°C</i>
	<i>10% Ethanol</i>	<i>10 days 40°C</i>
	<i>95% Ethanol</i>	<i>10 days 40°C</i>
	<i>Iso-octane</i>	<i>2 days 20°C</i>

As this is a general declaration for our complete range of plastic glasses, the surface to volume ratio cannot be specified. The ratio for the different products however lays between 5 and 10 dm<sup>2</sup>/kg.

No substances of dual use are added to the product. However, it should be taken into account that lactic acid is to be considered as a dual use substance according to plastic regulation 10/2011 since lactic acid is approved as a food additive (E-number E270). For lactic acid, there are no SML limit set in Regulation 10/2011.

The product does not contain any functional barrier.

Please be advised that Duni AB does not add anything into the product.

This document of compliance is based on:

- Documentation from suppliers
- Global migration test
- Specific migration

This document was issued electronically and is therefore valid without signature.