

Declaration of Compliance

Description	Material	Article Number
Octaview	APET	211910

Duni declares that the article meets the requirements of:

- Article 3, 11(5), 15 and 17 of Regulation (EC) No 1935/2004 (Framework regulation)
- EU Regulation 2023/2006/EC (GMP)
- EU Regulation 10/2011/EC with amendments (Plastic regulation)
- EU Regulation (EU) 2024/3190 on the use of bisphenol A (BPA) and other bisphenols
- Article 5 of Regulation (EU) 2025/40 on Packaging and Packaging Waste (PPWR) regarding the restriction of per- and polyfluoroalkyl substances (PFAS)

This plastic product has been manufactured only with monomers, other starting substances and additives that are authorized under Regulation (EC) 10/2011 and all amendments. A risk assessment according to Article 18 and Article 19 of Regulation (EC) No. 10/2011 has been performed for this product.

Overall migration

The material complies with the overall migration limit of 10 mg/dm² as specified in regulation 10/2011/EC on plastic materials and articles intended to come into contact with food.

Specific migration

The material may contain substances that are subject to restrictions according to regulation 10/2011/EC. A specific migration test proves that these are within the limits

Substance	CAS No	SML (mg/kg)
Ethylene glycol	107-21-1	30
Diethylene glycol	111-46-6	30
Isophthalic acid	121-91-5	5
Terephthalic acid	100-21-0	7,5
Acetaldehyde	75-07-0	6
Antimony trioxide	1309-64-4	0,04
Octadecyl 3-(3,5-di-tert.-butyl-4-hydroxyphenyl)propionate	2082-79-3	6

Area of use

Based on the migration tests and Declaration of Compliance in Duni's possession, the articles can be used safely with all types of foods, serving cold and hot. They are suitable for storage more than 24 hours under ambient and refrigerated conditions and can withstand temperatures up to 70 °C for up to 2 hours.

The articles should not be used in the microwave.

Test conditions

Migration tests on the material of the article performed by an independent institute showed that under the following test conditions overall migration (see 1.) and specific migration (see 2.) fall below the respective limits given by regulation 10/2011.

Overall migration OM2¹

Simulant	Contact time	Temperature	Result (mg/dm²)
10 % Ethanol	10 days	40°C	< 10
3% Acetic acid	10 days	40°C	< 10
95 % Ethanol	10 days	40°C	< 10
Isooctane	2 days	20°C	< 10

Ratio of food contact surface area to volume of component used to establish the compliance of material is 0,5 cm²/cm³ (corresponds to 5 dm²/kg).

The products comply with the general restrictions of Regulation (EC) No. 10/2011 Annex 2 regarding heavy metals and PAA content.

Dual Use Additives

The material may contain one or more dual use additives (i.e. food additives or flavorings) subject to restrictions or specifications under Article 11.3 in EU Regulation 10/2011/EC (Plastic regulation).

Substance	Ref. No.	E-number
Calcium stearate	89040	E470a

This document of compliance is based on:

- Documentation from manufacturer
- Test reports

To the best of our knowledge, the information provided is accurate and reliable as of the date of publication and, where relevant, reflects the information received from suppliers. It is valid from the stated issue date until it is replaced or superseded.

¹ OM2 test conditions corresponds to intended food contacts conditions "Any long-term storage at room temperature or below, including when packaged under hot-fill conditions, and/or heating up to a temperature T where 70 °C ≤ T ≤ 100 °C for a maximum of $t = 120/2^{((T-70)/10)}$ minutes." according to EU Regulation 10/2011/EC.